Chemistry 105 Spring 2007 Exam 4

Form D

1) Name _

1 % = 10,000 ppm 1 hr = 60 min

1 min = 60 seconds

 $1 \text{ amu} = 1.660540 \text{ x} 10^{-27} \text{ kg}$

mole fraction $(X_i) = n_i/n_{tot}$ 1 atm = 760 Torr = 760 mm Hg

1 atm = 1.01325×10^5 Pa 1 atm = 1.01325 bar

Molarity (M) = moles solute/L sol'n

molality (m) = moles solute/kg solvent

YOU ARE TO KEEP THIS COPY OF THE TEST. YOUR NAME IS IN CASE YOU LEAVE IT BEHIND.

2) Use only a #2 pencil on the answer sheet.

- 3) Before starting the exam fill in your student ID# (not your SS#). Also fill in your name, course number and sign the form.
- 4) Fill in the test form section (A, B, C or D).
- 5) Do not begin the exam until you are told to.
- 6) You will not get your scan sheet back!!! Circle your answers on this exam sheet and then transfer them to the scan sheet when you are satisfied with all your answers. An answer key will be posted on the class web site and in the glass case across from the lab after the exam.
- 7) If atomic weights are needed use only those from the attached periodic table.
- 8) No scratch paper is to be used. Use the back of this exam sheet if necessary.
- 9) There are 25 equally weighted questions on this exam. You have 60 minutes to complete them.

10) If you believe there is more than one correct answer pick only the best answer.

Useful Data	
<u>Constants</u>	Equations
$c = 2.998 \text{ x } 10^8 \text{ m/s}$	% = fraction * 100 %
$h = 6.63 \text{ x } 10^{-34} \text{ Js}$	$ppm = fraction * 10^6 ppm$
density of $H_2O = 1.00 \text{ g/mL}$	$ppb = fraction * 10^9 ppb$
$N_A = 6.022 \text{ x } 10^{23} \text{ amu/g or things/mole}$	
$R = 0.082058 \text{ atm} \cdot L \cdot \text{mol}^{-1} \cdot K^{-1}$	T (in Kelvin) = 273.15 + T (in °C)
or 8.31451 J •mol ⁻¹ •K ⁻¹	∏=iMRT
e (charge on electron) = $1.60 \times 10^{-19} \text{ C}$	$\Delta T_{\rm b} = {\rm i} K_{\rm b} m$
$1 D = 3.336 \times 10^{-30} C \cdot m$	$\Delta T_{\rm f} = { m i} { m K}_{\rm f} m$
<u>Units</u>	Formal Charge =(# of valence e ⁻ in free atom)
2.54 cm = 1 inch	– (# valence e ⁻ assigned to atom)
3.78 L = 1 gal	
1 kg = 2.20 lb	
$1 \text{ K}_5 = 2.20 \text{ 10}$	$u = \Omega r$

 $\mu = Qr$ $d = \mathcal{M}P/(RT)$ $P_{tot} = P_1 + P_2 + \dots \text{ or } P_i = X_i P_{tot} \qquad X_i = n_i/n_{tot}$ $C_{gas} = k_H P_{gas}$ average KE/mol = (½) $\mathcal{M}u^2_{rms}$ $u_{rms} = \sqrt{\frac{3RT}{\mathcal{M}}}$ $P_{vdwaals} = \frac{nRT}{V - nb} - a\left(\frac{n}{V}\right)^2$